



Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 09/20/2018

Revision date: 09/20/2018

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : Power Kleen
Other means of identification : MP21

1.2. Recommended use and restrictions on use

Recommended use : Degreaser
Restrictions on use : Not determined

1.3. Supplier

Krown Rust Control
35 MAGNUM DRIVE
LOG 1T0 SCHOMBERG - CANADA
T (905) 939-8750

1.4. Emergency telephone number

Emergency number : (905) 939-8750

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Acute toxicity (oral), Category 4 H302
Acute toxicity (dermal), Category 4 H312
Skin corrosion/irritation, Category 1A H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) :

Danger

Hazard statements (GHS-CA) :

H302+H312 - Harmful if swallowed or in contact with skin
H314 - Causes severe skin burns and eye damage.

Precautionary statements (GHS-CA) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label)
P330 - Rinse mouth.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.3. Other hazards

Other hazards not contributing to the classification : None.

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Potassium hydroxide	Potassium hydroxide (caustic potash) Caustic potash / Potassium hydroxide (K(OH)) / POTASSIUM HYDROXIDE	(CAS-No.) 1310-58-3	5 - 10	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Eye Dam. 1, H318
2-Butoxyethanol	2-Butoxy-1-ethanol / Butoxyethanol / Ethanol, 2-butoxy- / Ethylene glycol monobutyl ether / Ethylene glycol n-butyl ether / Hydroxyethyl butyl ether / Ethylene glycol butyl ether / 2-Butoxyethan-1-ol / Ethylene glycol mono-n-butyl ether / 2-n-Butoxyethanol / Butyl glycol / BUTOXYETHANOL / EGBE / EGMBE / Butoxyethanol, 2- / Butyl Cellosolve / 2-Butyl Cellosolve	(CAS-No.) 111-76-2	4 - 8	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315
Tetrasodium EDTA	Ethylenediaminetetraacetic acid, tetrasodium salt / Tetrasodium ethylenediaminetetraacetate / Ethylenediaminetetraacetic acid (EDTA), tetrasodium salt / TETRASODIUM EDTA / Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4) / Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, tetrasodium salt / EDTA tetrasodium salt / Tetrasodium salt of ethylenediaminetetraacetic acid / Acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt / EDTA, tetrasodium / Tetrasodium edetate / N,N'-1,2-Ethanediybis(N-(carboxymethyl)glycine) tetrasodium salt / N,N'-1,2-Ethanediybis(N-(carboxymethyl)glycine) tetrasodium / Tetrasodium 2,2',2'',2'''-(ethylenedinitrilo)tetraacetate / Sodium edetate / Edetate Sodium / Ethylenediaminetetraacetic acid tetrasodium salt / Edetate sodium	(CAS-No.) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium metasilicate	Disodium metasilicate / Silicate, disodium / Silicic acid (H ₂ SiO ₃), disodium salt / Sodium metasilicate, anhydrous / Silicic acid, disodium salt / Disodium metasilicate (Na ₂ SiO ₃) / Disodium trioxosilicate / Silicic acid (H ₂ SiO ₃), sodium salt (1:2) / SODIUM METASILICATE / Silicic acid, sodium salt (1:2) / Sodium silicate	(CAS-No.) 6834-92-0	2 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
Benzenesulfonic acid, C10-16-alkyl derivatives	Benzenesulphonic acid, C10-16-alkyl derivatives / C10-16-Alkylbenzenesulfonic acid	(CAS-No.) 68584-22-5	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Immediately remove contaminated clothing or footwear. Wash skin with plenty of water. Call a physician immediately. Seek medical attention if burns develop.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Consult an ophthalmologist if irritation persists.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures general : Call a physician immediately. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May be harmful in contact with skin. Burns.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : May be harmful if swallowed. Burns.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Not determined.

5.3. Specific hazards arising from the hazardous product

No additional information available

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : In case of large spillages: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Shovel or sweep up and put in a closed container for disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium hydroxide (1310-58-3)		
USA - ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
Canada (Quebec)	PLAFOND (mg/m ³)	2 mg/m ³
Alberta	OEL Ceiling (mg/m ³)	2 mg/m ³
British Columbia	OEL Ceiling (mg/m ³)	2 mg/m ³
Ontario	OEL Ceiling (mg/m ³)	2 mg/m ³
2-Butoxyethanol (111-76-2)		
USA - ACGIH	ACGIH TWA (ppm)	20 ppm
Canada (Quebec)	VEMP (mg/m ³)	97 mg/m ³
Canada (Quebec)	VEMP (ppm)	20 ppm
Alberta	OEL TWA (mg/m ³)	97 mg/m ³
Alberta	OEL TWA (ppm)	20 ppm

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Butoxyethanol (111-76-2)		
British Columbia	OEL TWA (ppm)	20 ppm
Ontario	OEL TWA (ppm)	20 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Materials for protective clothing:

Wear long sleeves

Hand protection:

Chemically resistant protective gloves

Eye protection:

Chemical goggles or safety glasses. Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Green
Odour : odourless
Odour threshold : No data available
pH : 13.2
Relative evaporation rate (butylacetate=1) : > 1
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : 0 °C
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available
Relative vapour density at 20 °C : 0.6
Relative density : 1.1032
Solubility : Soluble.
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : 20 mPa.s
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Oxidizing agents and strong acids.
Incompatible materials	: Peroxides. Sodium hypochlorite.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: carbon oxides (CO and CO ₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Dermal: Harmful in contact with skin.
Acute toxicity (inhalation)	: Not classified

ATE CA (oral)	1514.317 mg/kg bodyweight
ATE CA (dermal)	1200.364 mg/kg bodyweight

Tetrasodium EDTA (64-02-8)	
LD50 oral rat	1658 mg/kg

Potassium hydroxide (1310-58-3)	
LD50 oral rat	284 mg/kg

Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)	
LD50 oral rat	775 mg/kg
LD50 dermal rabbit	2000 mg/kg

2-Butoxyethanol (111-76-2)	
LD50 oral rat	470 mg/kg
LD50 dermal rabbit	99 mg/kg
LC50 inhalation rat (ppm)	486 ppm/4h

Sodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13.2
Serious eye damage/irritation	: Causes serious eye damage. pH: 13.2
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: May be harmful in contact with skin. Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: May be harmful if swallowed. Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

Tetrasodium EDTA (64-02-8)	
LC50 fish 1	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 fish 2	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 72h algae (1)	1.01 mg/l (Species: Desmodesmus subspicatus)

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Potassium hydroxide (1310-58-3)	
Log Pow	0.65
Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)	
LC50 fish 1	3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	2.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Log Pow	2 (at 23 °C)
2-Butoxyethanol (111-76-2)	
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Log Pow	0.81 (at 25 °C)
Sodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

12.2. Persistence and degradability

Power Kleen	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Power Kleen	
Bioaccumulative potential	Not established.
Potassium hydroxide (1310-58-3)	
Log Pow	0.65
Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)	
Log Pow	2 (at 23 °C)
2-Butoxyethanol (111-76-2)	
Log Pow	0.81 (at 25 °C)

12.4. Mobility in soil

Power Kleen	
Ecology - soil	Not established.
Potassium hydroxide (1310-58-3)	
Log Pow	0.65
Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)	
Log Pow	2 (at 23 °C)
2-Butoxyethanol (111-76-2)	
Log Pow	0.81 (at 25 °C)

12.5. Other adverse effects

Ozone	: Not classified
Effect on the global warming	: Not established.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

UN-No. (TDG)	: UN1814
Packing group	: III - Minor Danger
TDG Primary Hazard Classes	: 8 - Class 8 - Corrosives
Transport document description	: UN1814 POTASSIUM HYDROXIDE SOLUTION, 8, III

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Proper Shipping Name (Transportation of Dangerous Goods) : POTASSIUM HYDROXIDE SOLUTION

Hazard labels (TDG) : 8 - Corrosive substances



Explosive Limit and Limited Quantity Index : 5 L
 Excepted quantities (TDG) : E1
 Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : 5 L

14.2. Transport information/DOT

Department of Transport

DOT NA no. : UN1814
 UN-No.(DOT) : 1814
 Packing group (DOT) : III - Minor Danger
 Transport document description : UN1814 Potassium hydroxide, solution, 8, III
 Proper Shipping Name (DOT) : Potassium hydroxide, solution
 Contains Statement Field Selection (DOT) :
 Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136
 Division (DOT) : 8
 Hazard labels (DOT) : 8 - Corrosive



Dangerous for the environment : No
 DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
 T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)
 TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
 DOT Packaging Exceptions (49 CFR 173.xxx) : 154
 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
 DOT Packaging Bulk (49 CFR 173.xxx) : 241
 DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L
 DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
 DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
 DOT Vessel Stowage Other : 52 - Stow "separated from" acids
 Emergency Response Guide (ERG) Number : 154
 Other information : No supplementary information available.

14.3. Air and sea transport

IMDG

UN-No. (IMDG) : 1814
 Proper Shipping Name (IMDG) : POTASSIUM HYDROXIDE SOLUTION
 Transport document description (IMDG) : UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III
 Class (IMDG) : 8 - Corrosive substances
 Packing group (IMDG) : III - substances presenting low danger

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

IATA

UN-No. (IATA)	: 1814
Proper Shipping Name (IATA)	: Potassium hydroxide solution
Transport document description (IATA)	: UN 1814 Potassium hydroxide solution, 8, III
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. National regulations

Tetrasodium EDTA (64-02-8)
Listed on the Canadian DSL (Domestic Substances List)
Tetrapotassium pyrophosphate (7320-34-5)
Listed on the Canadian DSL (Domestic Substances List)
Potassium hydroxide (1310-58-3)
Listed on the Canadian DSL (Domestic Substances List)
Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)
Listed on the Canadian DSL (Domestic Substances List)
2-Butoxyethanol (111-76-2)
Listed on the Canadian DSL (Domestic Substances List)
Sodium metasilicate (6834-92-0)
Listed on the Canadian DSL (Domestic Substances List)
Sodium xylenesulfonate (1300-72-7)
Listed on the Canadian DSL (Domestic Substances List)
Water (7732-18-5)
Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Tetrasodium EDTA (64-02-8)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on Turkish inventory of chemical
Tetrapotassium pyrophosphate (7320-34-5)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on Turkish inventory of chemical
Potassium hydroxide (1310-58-3)
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the United States TSCA (Toxic Substances Control Act) inventory Japanese Poisonous and Deleterious Substances Control Law Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on Turkish inventory of chemical

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on Turkish inventory of chemical

2-Butoxyethanol (111-76-2)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on Turkish inventory of chemical

Toxic Substance (CEPA – Schedule I)

Yes

Sodium metasilicate (6834-92-0)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on Turkish inventory of chemical

Sodium xylenesulfonate (1300-72-7)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on Turkish inventory of chemical

Water (7732-18-5)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Date of issue : 09/20/2018

Revision date : 09/20/2018

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Power Kleen

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Full text of H-statements:

H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product