00001450

SAFETY DATA SHEET

Canadian Krown Dealers Inc. 35 Magnum Dr. Schomberg, Ontario, L0G 1T0 Canada (905)939-8750 / 1(800)267-5744

PRODUCT: Krown KL FSM - 400 g

SECTION 01: IDENTIFICATION

Manufacturer.... Product Item Numbers.... Product Identity..... 24 hour emergency telephone number.... Recommended Use... Chemical Family...

Empack Spraytech Inc. KR-002057 Krown KL FSM - 400 g CANUTEC: 1-613-996-6666. Lubricant, corrosion inhibitor. Mixture.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:	MARNING
Signal Word	WARNING.
Hazard Classification:	
Physical Hazards	Aerosols - Category 3. Gases Under Pressure - Liquefied Gas.
Health Hazards	Skin Irritation - Čategory 2. Eye Irritation - Category 2A.
Environmental Hazards	Not Classified.
Hazard Statement	H229:Pressurised container: May burst if heated (3). H280:Contains gas under pressure;
	may explode if heated (L). H315:Causes skin irritation. H319:Causes serious eye
	irritation.
Dragoutionary Statementar	initation.
Precautionary Statements:	
Prevention	P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking. P251:Do not pierce or burn, even after use. P264+P265: Wash hands
	thoroughly after handling. Do not touch eyes. P280:Wear protective gloves. P280:Wear
	eye protection/face protection.
Response	P302+P352:IF ON SKIN: Wash with plenty of water. P332+P317:If skin irritation occurs:
•	Get medical help. P362+P364:Take off contaminated clothing and wash it before reuse.
	P321:For specific treatment see section 4 on this SDS. P305+P351+P338:IF IN EYES:
	Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing. P337+P317: If eye irritation persists: Get medical help.
Storage	P410+P412:Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F.
Sloraye	
Diseased	P403:Store in a well ventilated place .
Disposal.	None.
Hazard(s) not otherwise classified (HNOC)	None Known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS		
CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
1,1-Difluoroethane	75-37-6	10-30
Barium Sulfonate	61790-48-5	5-10

SECTION 04: FIRST-AID MEASURES

Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain immediate medical assistance.
Skin Contact	Immediately flush the contaminated skin with soap and water. If this chemical penetrates clothing, immediately remove the clothing and flush the skin with water. If irritation persists after washing, get medical attention.
Eye Contact	Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs.
Ingestion	Do not induce vomiting, get medical attention. Rinse mouth. Obtain medical advice.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.



CODE: KR-002057

SAFETY DATA SHEET

PRODUCT: Krown KL FSM - 400 g

CODE: KR-002057

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Unsuitable Extinguishing Media Specific Hazards Arising from the Chemica	Dry chemical powder. Carbon dioxide. Foam, water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire. I n case of fire, the following can be released: Carbon Oxides (CO, CO2), Other unidentified Organic Compounds.
Special Protective Equipment and Precautions for Firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.
General Fire Hazards	Non-flammable aerosol.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid walking through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 08).
Methods and Materials for Containment and Cleaning Up Environmental Precautions	Wash with plenty of water. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Avoid breathing vapours or mists. Never pierce, drill, grind, cut, saw or weld any empty container. Do not eat or drink while working. See Section 08 for Protective Personal

Conditions for Safe Storage including any Incompatibilities

Equipments. Keep container tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, and flame. Do not store in direct sunlight.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	OSH/ PEL	A PEL STEL	NIOSH REL
1,1-Difluoroethane	Not available	Not available	Not available	Not available	Not available
Barium Sulfonate	Not available	Not available	Not available	Not available	Not available
Appropriate Engineering Controls. Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Ensure that eyewash stations and safety showers are available. Individual Protection Measures: Eye/Face Protection. Skin Protection. Chemical splash goggles are recommended. Use appropriate protective clothing to avoid skin contact if required. Avoid breathing dust/fume/gas/mist/vapors/spray. If permissible levels are exceeded use NIOSH mechanical filter/organic vapor cartridge or an air-supplier. Thermal Hazards. None Known.		ons and safety are exceeded use			
General Hygiene Consid	erations	When using, do not eat, d such as washing after han Routinely wash work cloth	ndling the material and	before eating, drinking	, and/or smoking.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Form Physical Appearance Odor	Aerosol. Brown liquid . Odorless. Not available. Not available. 87. (Propellant). Not available. Propellant: -25 °C (-13 °F). -117 °C (-179 °F) - lit. (Propellant). <-50. (1,1-Difluoroethane). Not available.
Flashback	Not available.
Evaporation Rate (n-Butyl Acetate = 1)	Not available.
VOC Content	NMT 25.
Solubility in water	Insoluble.
Auto Ignition Temperature (°C)	Not available.
Lower Flammable Limit (% Vol)	3.9. (1,1-Difluoroethane).

Powered by

www.trivalent.com

ECIS

SAFETY DATA SHEET

PRODUCT: Krown KL FSM - 400 g

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Upper Flammable Limit (% Vol)..... Note....

16.9. (1,1-Difluoroethane). NMT = Not More Than.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical Stability Possibility of Hazardous Reactions Conditions to Avoid Incompatible Materials Hazardous Decomposition Products	S It F N

No hazardous reactions. Stable under the recommended storage and handling conditions. It may catch fire on contact with oxidizing mineral acids. Heat, flames, sparks. None known. In combustion emits toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
1,1-Difluoroethane Barium Sulfonate Information on Likely Routes of Exposure: Routes of entry - Inhalation	in irritation. Not available Prious eye irritation. to be a sensitizer. ation is available, and no adverse effects a fied as carcinogenic by ACGIH, IARC, OSH available data, the classification criteria are fied.	Not available Not available re expected. HA or NTP.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	May be dangerous for the environment. No data is available on the product itself. Should
	not be released into the environment.
Persistence and degradability	The product itself has not been tested.
Bioaccumulation Potential	The product itself has not been tested.
Mobility in Soil	The product itself has not been tested.
Other Adverse Effects	None Known.
Other Adverse Effects	None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods.....

This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Spilled material and water rinses are classified as chemical waste and must be disposed of in accordance with current local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)	UN1950, AEROSOLS, Class 2.2, Ltd. gty.
DOT (US-Road)	UN1950, AEROSOLS, Class 2.2, Ltd. qty., Consumer Commodity, ORM-D.
IMDG (International- Marine)	UN1950, AEROSOLS, Class 2.2, Ltd. qty.
IATA (International- Air)	UN1950, AEROSOLS, Class 2.2, Ltd. qty.

SECTION 15: REGULATORY INFORMATION

Powered by

Canada Regulations:
Canadian Environmental Protection Act
(CEPA)
US Regulations

Refer to Section 2 for a WHMIS 2015 Classification for this product.
All ingredients listed appear on the Domestic Substances List (DSL).

Environmental Protection Act: Constituents of this product are included on the TSCA inventory. This product is considered hazardous under the OSHA Hazard Communication Standard.

ECIS

Page 3

CODE: KR-002057

Page 4

PRODUCT: Krown KL FSM - 400 g

SECTION 16: OTHER INFORMATION	
Disclaimer	The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information
Abbreviations	required by the CPR. ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.
Prepared by Latest Revision	

Powered by

